

STAINLESS STEEL CLIPS

STAINLESS STEEL BUCKLES

Stainless Steel Buckles are manufactured from high quality type201, type304, type316 stainless steel, to match the stainless steel strip. Buckles are generally used for heavy duty banding



Specifications:

Style Number	Thickness		Width	
	inch	mm	inch	mm
MC802 – 4638	0.046	1.20	3/8	9.50
MC802 – 4612	0.046	1.20	1/2	12.70
MC802 – 5912	0.059	1.50	1/2	12.70
MC802 – 5958	0.059	1.50	5/8	16.00
MC802 – 5934	0.059	1.50	3/4	19.00

Packing of buckles:

- • 100 pcs/ box:
- • MC802 – 4612,
- • MC802 – 5912,
- • MC802 – 5958,
- • MC802 – 5934

- • 400 pcs/ box: MC802 – 4638



AL JABAL can emboss your brand or LOGO onto the buckles as per your requirements



STAINLESS STEEL WING SEALS

Stainless Steel Wing Seals are manufactured from high quality type201, type304, type316 stainless steel, to match the banding or strapping. Wing Seals are generally used for light gauge banding. And the wings are easily closed by banding tools



AL JABAL can emboss your brand or LOGO onto the buckles as per your requirements

Specifications of Wing Seals:

Style Number	Thickness		Width	
	inch	mm	inch	mm
MC801 – 3038	0.030	0.80	3/8	9.50
MC801 – 3012	0.030	0.80	1/2	12.70
MC801 – 3058	0.030	0.80	5/8	16.00
MC801 – 3034	0.030	0.80	3/4	19.00

Other spec is available upon requirements

Packing of wing seals:

- • 200 pcs/ box:
- • MC801 – 3058,
- • MC801 – 3034,

- • 400 pcs/ box:
- • MC801 – 3012,
- • MC801 – 3038



STAINLESS STEEL CLOSED SEA

Stainless Steel Closed Seals are manufactured from high quality type201, type304, type316 stainless steel

STAINLESS STEEL SCREW BUCKLES



Specifications of closed seals:

Style Number	width	
	inch	mm
MC805 – 38	3/8	9.50
MC805 – 12	1/2	12.70
MC805 – 58	5/8	16.00
MC805 – 34	3/4	16.00
MC805 – 85	8/5	40.00



Stainless Steel Screw Buckles are manufactured from high quality type201, type304, type316 stainless steel, used in the clamping works where vibration is not allowed in the installing process caused by tools. And one of its properties is that it can be re-used



Specifications of screw buckles:

Style Number	Thickness		Width	
	inch	mm	inch	mm
MC804 – 14	0.06	1.50	1/4	6.50
MC804 –38	0.06	1.50	3/8	9.50
MC804 –12	0.08	2.00	1/2	12.70
MC804 –58	0.10	2.00	5/8	16.00
MC804 –34	0.10	2.50	3/4	19.00

Packing of screw buckles:

- MC804–14: 50pcs/ box;
- MC804–38: 50pcs/ box;
- MC804–12: 25pcs/ box;
- MC804–58: 25pcs/ box;
- MC804–34: 25pcs/ box

STAINLESS STEEL TOGGLE CLIPS

Stainless Steel Toggle Clips are manufactured from high quality stainless steel, with rounded edges to ensure safe handling. Toggle clips bear much more clamping strength than general clips

Material:

- SS201;
- SS304;
- SS316 / SS316L

Products:

MC806-A (2" long)



MC806-B (4" long)



MC806-CS (4" long, adjustable toggle clip)



MC806-CL (8" long, adjustable toggle clip)



Packing of toggle clips:

- MC806-A: 80 sets/ box;
- MC806-B: 40 sets/ box;
- MC806-CS: 50 sets/ box;
- MC806-CL: 10 sets/ box;



Custom-made Packing

Generally, all of our stainless steel clip products are packed by neutral packing, which shows name, material, quantity and size, as below:



For toggle clips, MOWCO also can engrave clients' LOGO or brand, as below picture.



If the quantity is large, we can engrave the LOGO onto products, also we can print clients' information on the carton packing, including inner box and outer carton. as below.



This information herein is presented in good faith and is believed to be accurate. It is intended for use by persons experienced in the fabrication or installation of thermal and acoustic insulation projects, telecommunication engineering projects. All liabilities are borne by the use of this product. Mowco does not take any responsibility for misuse of this product. Mowco recommends testing before use.